

MASADA JACK

標準型・低型油圧ジャッキ

STANDARD & LOW PROFILE BOTTLE JACK

機械・建築・土木・自動車など幅広く活躍しているジャッキです。2tonから100tonまで豊富なバリエーション。Most widely used in various fields such as machinery, construction, automotive industry, etc. A full range of capacity from 2 to 100 ton.



標準型・低型油圧ジャッキ仕様

STANDARD LOW PROFILE BOTTLE JACK SPECIFICATIONS

型式 Model	仕様 Spec.	呼び容量 Capacity (ton)	最低高さ Min. Height (mm)	昇程 Lift (mm)	縮み Extension (mm)	総高さ Max. Height (mm)	質量 Weight (kg)
MS-2S	2	150	85	50	285	2.2	
MS-2	2	180	115	50	345	2.4	
MS-3	3	190	115	60	365	3.0	
MN-4	4	190	115	70	375	4.0	
MH-5	5	200	120	70	390	4.6	
MH-7	7	200	120	70	390	5.5	
MH-10	10	240	150	80	470	7.9	
MH-15	15	265	165	80	510	10.4	
MH-20	20	270	160	-	430	12.2	
MH-30Y	30	280	160	-	440	18.5	
MH+50Y*	50	305	170	-	475	37.0	
MH+100Y*	100	305	145	-	450	93.0	
MH-100	10	170	95	75	340	6.4	
MH-15	15	170	90	70	330	8.0	
MH-20	20	180	85	40	305	10.2	
MH-30Y	30	180	80	-	260	14.0	

*印は安全弁付です。

二段式油圧ジャッキ

TWO STAGE-TELESCOPIC JACK

低い位置より高行程が得られます。With long travel from low position.



二段式油圧ジャッキ仕様

TWO STAGE-TELESCOPIC JACK SPECIFICATIONS

型式 Model	仕様 Spec.	呼び容量 Capacity (ton)	最低高さ Min. Height (mm)	昇程 Lift (mm)	縮み Extension (mm)	総高さ Max. Height (mm)	質量 Weight (kg)
NPD-1.5-5	1.5	170	205	-	-	375	3
HPD-4I	4	150	160	30	340	4.3	
HFD-10-2	10	170	180	70	420	8.7	
HFD-15	15	170	180	70	420	12	

ミニタイプ油圧ジャッキ

MINI JACK

重量物の組み立て時、微量調整・芯出し作業に便利な超小型油圧ジャッキです。Super low profile small jick convenient for delicate work such as fine adjusting or centering of heavy machinery.



ミニタイプ油圧ジャッキ仕様


MINI JACK SPECIFICATIONS

型式 Model	仕様 Spec.	呼び容量 Capacity (ton)	最低高さ Min. Height (mm)	昇程 Lift (mm)	縮み Extension (mm)	総高さ Max. Height (mm)	本体質量 Weight (kg)
MMJ-5C	5	60	20	80	19		
MMJ-5T	5	85	40	125	2.4		
MMJ-10	10	120	30	150	5.5		
MMJ-20	20	130	30	160	8.0		
MMJ-50Y	50	140	30	170	19.0		

(注)「最低高さ」「縮み」は、平型アダプター使用時の高さです。Note: Each height measured with flat adaptor.

横方向の使用も可能です。


All models work both in vertical and horizontal position. 標準・低型は○印方向90度の範囲、ミニタイプは○印方向のみ90度で使用できます。When used in horizontal position, pump must be in the position as illustrated here. 横方向の使用での行程は油量の関係で50~70%になります。



歯車の脱着作業



芯出し作業 (微量調整可)



MASADA SERVICE TRUCK JACK

"MASADA" BRAND OIL BOTTLE JACK

MS-2	2 TONS
MS-3	3 TONS
MN-4	4 TONS
MS-5Y	5 TONS
MH-7	7 TONS
MH-10	10 TONS
MH-15	15 TONS
MH-20	20 TONS
MH-30V	30 TONS
MH-50Y	50 TONS

"MASADA" BRAND OIL SERVICE JACKS

SJ-15H-2	1.5 TONS
SJ-20S-2	2 TONS
SJ-30H	3 TONS
SJ-50H	5 TONS
SJ-100H	10 TONS



High Efflux Manual Drum Pump


MK HIGH SPEEDER PUMP
 Model **RP-99E** (Complete)
 Model **RP-99EA** (Semi Knock down)

Full Rotary Vane Pump

MK ROSY PUMP
 Model **RP-20E** (3/4 inch, Complete)
 Model **RP-20EA** (3/4 inch, Semi Knock down)
 Model **RP-24E** (1 inch, Complete)
 Model **RP-24EA** (1 inch, Semi Knock down)

"MK" STEEL MANUAL PUMPS

RP-20E
 RP-20EA
 RP-24E
 RP-24EA



All-Plastic Syphon Drum Pump

MK PLA-AUTO PUMP
 Model **HP-26ZE**



- Can be both used as a syphon or a pump (below style).
- Suitable for dispensing acids, petrol, caustics, thinners, disinfectants, etc.
- Suction tube can be easily shortened to fit shallower containers.
- Fits any 15, 30, 55 gal. drum (US), any 6, 6.5, 13 gal. (US) glass or plastic carboy.

Capacity	26 lit./min.
Suction tube	230 mm. (i.d.)
Discharge	230 mm. (i.d.)
Full length	1,184 mm.
Net weight	455 g.
Main Material	P.V.C., P.E., Nylon

Versatile Syphon Home Pump

MK HOSE PUMP
 Model **HP-06WE**



- Can be adapted to 1, 2, and 5 gallon (US) containers, glass or plastic.
 - Made of durable plastic, and very suitable for dispensing any liquid.
 - An easy squeeze of the plastic valve starts the syphon action.
- Suitable for: Water, Kerosene, Light oil Wine, Fuel oil, Solvents, Acid, and Alkaline etc.

Model	HP-06WE
Capacity	6.4 lit./min.
Suction tube	135 mm.
Delivery hose	115 mm.
Full length	527 mm.
Net weight	64 g.
Main Material	Polyethylene

"MK" PLASTIC MANUAL PUMPS

HP-26ZE
 EP-06M
 EP-07DE

Dry Cell Battery Pump

MK MINI-AUTO PUMP
 Model **EP-06M**

MK (Auto-Stop) MINI-AUTO A
 Model **EP-07DE**



- Model EP-06M**
- Battery operated by two (2), size "D" dry cells.
 - Suitable for: Kerosene, Water, and Light oil etc.
 - A very convenient and versatile home pump. (For KEROSENE HEATER)
 - Self-priming—as simple to operate as a flashlight.

- Model EP-07DE**
- Automatically prevented from over-flow with the special made discharge nozzle.
- Large discharge capacity of 7.5 lit./min.
 - Liquid level can be adjusted with the clamp.
 - Direct drive method of pump serves you no troubles such as vibrations.
 - Suitable for: KEROSENE HEATER.

Model	EP-06M	EP-07DE
Power source	2 pcs. X Size D (1.5V) Dry-cells	
Discharge Cap. (Kerosene)	5.5 lit./min.	7.5 lit./min.
Pump	Centrifugal type	Direct drive volute
Main Materials	P.V.C., P.E., A.B.S., Nylon	
Net Weight	265 g.	270g





"VELEX" ABRASIVE TOOLS

NO. 20-03

50 ASSORTED COLORFUL MOUNTED STONES



NO. 20-51

50 ASSORTED GRINDING WHEELS

NO. 20-05

5 PC MOUNTED STONE SET

NO. 20-53

3" GRINDING WHEEL WITH ARBOR

NO. 20-56

4" GRINDING WHEEL WITH ARBOR

NO. 20-05B

3 PC MOUNTED STONE SET

NO. 20-06

5 PC MOUNTED STONE SET

NO.20-101
5" RUBBER BACKING DISC WITH ARBOR
for use with sanding disc or polishing bonnet
has 1/4" diameter arbor

NO.20-61
HEAVY DUTY QUICK DISC WITH ARBOR
reinforced safety disc
approved arbor
1/2" arbor
for belt & hand

NO.20-102
5" POLISHING BONNET
for use with 5" rubber backing disc

NO.20-62
CUTTING WHEEL WITH ARBOR
reinforced cutting-off wheel
1/2" arbor

NO.20-151
20 PC SANDING DISC ASSORTMENT
5" dia 1/2" bore
fine-medium-coarse grits assorted

NO.20-151B
25 PC SANDING DISC ASSORTMENT
5" dia 1/2" bore
fine-medium-coarse grits assorted

Item NO.	Size	Inner inch	Outer inch	Speed ft/s	PC W pack
NO.20-61	4"	12	120	2.3	30 B
NO.20-62	—	12	60	1.2	15 B
NO.20-101	5	12	120	1.3	13 B
NO.20-102	7	12	120	1.7	18 B
NO.20-101B	5	12	240	2.7	18 B
NO.20-101B	5	12	240	2.0	15 B
NO.20-101B	5	12	240	2.2	17 B

"VELEX" ABRASIVE TOOLS

NO. 20-101

5" RUBBER BACKING DISC WITH ARBOR

NO. 20-61

HEAVY DUTY QUICK DISC WITH ARBOR

NO. 20-102

5" POLISHING BONNET

NO. 20-62

CUTTING WHEEL WITH ARBOR

NO. 20-151

20 PC SANDING DISC ASSORTMENT

NO. 20-151B

25 PC SANDING DISC ASSORTMENT

NO.20-10
10 PC MOUNTED STONE SET
1/2" and 3/4" blocks
aluminum oxide 10 assorted shapes
tee-ramp ball large-cone-cylindrical
card vinyl

NO.20-155
SANDING AND POLISHING SET
5" rubber disc w/arbor
5" sanding disc
5" polishing bonnet
vinyl header

NO.20-157
30 ASS'TD WIRE WHEELS
consisting of:
8 pcs. 1" dia.
9 pcs. 1 1/2" dia. each wheel
5 pcs. 2" dia. has 1/4" arbor
4 pcs. 2 1/2" dia.
4 pcs. 2" dia.

NO.20-154
3" WIRE WHEEL BRUSH WITH ARBOR
each with 1/4" arbor for 1/2" bore accessories

NO.20-153
4 PC GRINDING & POLISHING SET
2" grinding wheel
2" wire brush
2 1/2" polishing buff
1/4" arbor for 1/2" bore accessories

NO.20-152
ARBOR SET
rust proof plated
1/4" arbor for 1/2" bore accessories
2 washers

NO. 20-10

10 PC MOUNTED STONE SET

NO. 20-155

SANDING AND POLISHING SET

NO. 20-157

30 ASSORTED WIRE WHEELS

NO. 20-154

3" WIRE WHEEL BRUSH WITH ARBOR

NO. 20-153

4 PC GRINDING & POLISHING SET

NO. 20-152

ARBOR SET

HAND RIVETER



"TAIYO" HAND RIVETER

NO. THR-11N

NO. THR-11

NO. HR-005L

NO. THR-11NL



NO. HR-007

NO. HR-005

NO. HR-003

NO. TS-10

NO. HR-007L



"TAIYO" BOLT CLIPPER

NO. TP-2400 24"

NO. TP-3000 30"

NO. TP-3600 36"

NO. TP-4200 42"

NO. TP-1400 14"

NO. TP-1800 18"



"TAIYO" ACCORDION HAND RIVETER

NO. HR-50

NO. HR-50L

"TAIYO" HAND RIVETER

NO. TS-20

NO. TS-20H

MINI CUTTER



"TAIYO" MINI CUTTER

NO. TC-8 8"


NO. TS-800 8"

NO. TS-1000 10"

NO. ATS-800

NO. ATS-200


No.1225,1270,1220,1250 Kirby Sea Hooks



MARUTO EAGLE WAVE BRAND FISH HOOKS

NO. 1270 RINGED, BLUED
NO. 1225 RINGED, TINNED


'NS4310 Plain Shank Hooks, DS4310 Bait Holder Hooks



MARUTO EAGLE WAVE BRAND FISH HOOKS

MS-4310 BEAK HOOKS, FORGED, REVERSED
BLACK
TINNED
NICKELED
GOLD
RED

No.5435 Bait Holder Hooks



Y 山型ツールボックス Hip Roof Tool Box

Y型ツールボックス

品番 model	色 color	W(幅)×D(深さ)×H(高さ)
● Y-280	ブルー blue	290mm×150mm×105mm
● Y-350	ブルー blue	360mm×150mm×110mm
Y-350-GN	グリーン green	360mm×150mm×110mm
Y-350-R	レッド red	360mm×150mm×110mm



Y-350



Y-410



Y-530

Y型ツールボックス

品番 model	W(幅)×D(深さ)×H(高さ)
● Y-410	420mm×155mm×120mm
● Y-455	460mm×160mm×125mm

特大Y型ツールボックス

品番 model	W(幅)×D(深さ)×H(高さ)
● Y-530	530mm×200mm×180mm

TB トランク型ツールボックス Trunk-Style Tool Box

TB型ツールボックス(シボリ型)

品番 model	W(幅)×D(深さ)×H(高さ)
TB-362	370mm×210mm×100mm
TB-412	420mm×210mm×115mm



TB-362



L 山型樹脂トレイ付ツールボックス Hip Roof 2-Way Cover Tool Box with Tote Tray

片手で持てる最大の
ツールボックス。
one hand portable
tool box



L-450

L型両開樹脂トレイ付ツールボックス

品番 model	W(幅)×D(深さ)×H(高さ)
● L-450	455mm×200mm×190mm
● L-530	530mm×200mm×190mm

PT 樹脂トレイ付ツールボックス Tool Box with Plastic Parts Cases

PT型樹脂トレイ付ツールボックス

品番 model	W(幅)×D(深さ)×H(高さ)
PT-360	360mm×200mm×150mm
PT-410	410mm×200mm×150mm



PT-360



PT-410

T トランク型ツールボックス Trunk-Style Tool Box

四隅の凹凸がついており積重ね自由。
freely compounding with up concave
and down protruding on foursquare



T-150

T型小物入ボックス

品番 model	W(幅)×D(深さ)×H(高さ)
● T-150	145mm×95mm×45mm
● T-190	195mm×95mm×50mm



T-360

T型小物入ボックス

品番 model	W(幅)×D(深さ)×H(高さ)
● T-320	320mm×125mm×85mm
● T-350	360mm×150mm×95mm
● T-360	370mm×210mm×90mm
● T-410	420mm×210mm×105mm
● T-470	470mm×230mm×100mm



T-470

両面シボリ構造。上部把手、小物皿付。
massiness shape made from once
pressing, handle above the box,
sundries plate inside

T-360・410・470はサイド把手、
T-360・410には小物皿、
T-470にはコーナー部に仕切がついています。
T-470はシボリタイプではありません。

handle on the side surface
small things plate
be on selling in kounan
do not finish by once pressing

ST 2段式ツールボックス Tool Box with 2 Cantilever Trays

ST型2段式ツールボックス

品番 model	W(幅)×D(深さ)×H(高さ)
● ST-350	340mm×160mm×170mm
● ST-3500	340mm×160mm×170mm

ST-3500は大型パイプハンドルで
ワンタッチ開閉。
bigger pipe handle, open and
close facility



ST-350